

ATTACHMENT 1 – Matrix of CRPS, WORLDS and SENSITIVITIES											SENSITIVITIES									
World 1 - REFERENCE											S1	S2	S3	S4	S5	S6	S7	S8	S9	S10
CRP	DSM	WIND	COAL	Mersey	DR	PPA	Tufts Cove Repowering CT/CC				Emissions B	Emissions C	High NG High IMPORT	Low NG Low IMPORT	Regional Coord. High Wind Low NB price	Low Cost High S Coal	High Cost High S Coal	Higher DSM cost	Optimistic Wind -cost -output	Optimistic NG CT -cost -heat rate
							TUC 1	TUC 2	TUC 3	NEW CT/CC										
CRP 2-1	BASE	BASE	MAX	OPTIMIZE	OPTIMIZE	-	2025	2032	2036	OPTIMIZE	X	X	X	X			X		X	
CRP 2-No_DR	BASE	BASE	MAX	OPTIMIZE	No DR	-	2025	2032	2036	OPTIMIZE	X	X	X	X			X		X	
CRP2-50 (FGD)	BASE	BASE	MAX	OPTIMIZE	OPTIMIZE	-	2020	2027	2031	OPTIMIZE	X	X	X	X	X	X	X		X	
CRP 4-1	BASE	BASE	MED	OPTIMIZE	OPTIMIZE	-	2020	2027	2031	OPTIMIZE	X	X	X	X			X			
CRP 4-1 (FGD)	BASE	BASE	MED	OPTIMIZE	OPTIMIZE	-	2020	2027	2031	OPTIMIZE	X	X	X	X	X	X	X			
CRP 3	BASE	MED	MAX	OPTIMIZE	OPTIMIZE	-	2025	2032	-	OPTIMIZE	X		X	X	X		X	X		
CRP 3-Wind_cap	BASE	MED optimist cap cred	MAX	OPTIMIZE	OPTIMIZE	-	2025	2032	-	OPTIMIZE	X		X	X	X		X	X		
CRP 31	BASE 50% PEAK 100% ENERGY	MED	MAX	OPTIMIZE	OPTIMIZE	-	2025	2032	-	OPTIMIZE	X		X	X	X		X	X		
CRP 1	50% LOW	BASE	MAX	OPTIMIZE	OPTIMIZE	PPA	2025	2032	-	OPTIMIZE	X		X	X			X		X	
CRP 5	HIGH	BASE	MAX	OPTIMIZE	OPTIMIZE	-	2025	2032	-	OPTIMIZE	X		X	X			X		X	
CRP 5-No_DR	HIGH	BASE	MAX	OPTIMIZE	No DR	-	2025	2032	-	OPTIMIZE	X		X	X			X		X	
CRP 9	BASE	MED	MIN	FIX	FIX	-	2021	2028	-	OPTIMIZE	X	X	X	X			X	X		
CRP 10	BASE	MED	MED	FIX	FIX	-	2023	2030	-	OPTIMIZE	X		X	X	X		X	X		
CRP 7	HIGH	MED	MIN	OPTIMIZE	OPTIMIZE	-	2021	2028	-	OPTIMIZE	X		X	X	X		X	X		
CRP 6	HIGH	HIGH	MIN	OPTIMIZE	OPTIMIZE	-	2021	2030	-	OPTIMIZE	X	X	X	X	X		X	X	X	
CRP 8	BASE	HIGH	MIN	OPTIMIZE	OPTIMIZE	-	2021	2030	-	OPTIMIZE	X	X	X	X	X		X	X	X	
World 2 - HIGH LOAD																				
CRP 21	BASE	MED	MAX	FIX	FIX	PPA	2025	2032	-	OPTIMIZE	X	X	X	X	X		X	X	X	
CRP 32	BASE 50% PEAK 100% ENERGY	MED	MAX	OPTIMIZE	OPTIMIZE	PPA	2025	2032	-	OPTIMIZE	X		X	X	X		X	X		