

ELECTRICAL INSPECTION BULLETIN

B-Index

(Effective 07/07/2022)



| Bulletin No. # | Title |
|-----------------------|--|
| B-BI-001 | NS Power Electrical Inspection Business |
| B-BI-002 | Issuing of Wiring Permits |
| B-BI-003 | Monthly Billing for Wiring Permit Fees |
| B-BI-004 | Safe Access to Construction Sites |
| B-BI-005 | Protective Footwear for Inspectors on Construction Sites |
| B-02-000 | Adoption and Compliance of the Canadian Electrical Code Part I |
| B-02-004 | Issuance of Electrical Wiring Permits |
| B-02-006 | Final Inspection of Electrical Installations |
| B-02-006.1 | Inspection Requirements for Residential Occupancies |
| B-02-008.1 | Revised Electrical Inspection Fees |
| B-02-012 | Unauthorized Connections – Working on Live Equipment |
| B-02-014 | Electrical Plan Submittals |
| B-02-014.1 | Plans Review Submittal Form (General) |
| B-02-014.2 | Plans Review Submittal Form (Solar Installations) |
| B-02-016.1 | Utility Power Connection for New Services |
| B-02-016.2 | Re-Connection of Customer Services |
| B-02-018 | Use of Electrical Jumpers |
| B-02-022 | Minimum Requirements for Upgrading Service for Single Dwellings |
| B-02-022.4 | Servicing Utility Owned Metering Equipment |
| B-02-024.1 | Approval of Electrical Equipment |
| B-02-024.2 | Retrofitting of Luminaries - Reference Department of Labour and Advanced Education Electrical Bulletins 2011-05 and 2011-06 |
| B-02-024.3 | Acceptable Installation Methods and Equipment for Temporary Power Connections |
| B-02-136 | Insulation Integrity |
| B-02-300 | Electrical Equipment Exposed to Water Damage |

ELECTRICAL INSPECTION BULLETIN

B-Index

(Effective 07/07/2022)



| | |
|------------|---|
| B-04-024 | Size of Neutral Conductor |
| B-04-038 | Colour of Insulated Bonding Conductors |
| B-04-038.1 | Identification of Conductors in Parallel |
| B-06-112 | Maximum Length of Utility Triplex Service Conductor for Mobile Homes |
| B-06-206 | Length of Service Entrance Conductors for Mobile / Mini and Factory Built Homes |
| B-06-302.1 | Acceptable Wiring Methods for Consumers Overhead Services |
| B-06-302.2 | Use of #10 AWG, Cu and #8 AWG, Al Service Wire |
| B-06-400 | Requirements for Meter Bases |
| B-10-400 | Equipment Bonding of Raceways and Outlet Boxes for Communication Systems |
| B-10-406 | Interior Metal Gas Pipe Bonding |
| B-10-700 | Metal Well Casing as a Grounding Electrode |
| B-10-700.1 | Ground Rod Electrode Requirements |
| B-10-806 | Installation of Grounding Conductors for Isolated Systems |
| B-12-012 | Contractor Access to Underground Residential Distribution (URD) Service Boxes |
| B-12-012.1 | Electrical Marker Tape for Underground Primary and Secondary Cables |
| B-12-500 | Installation and Support of Non-metallic Sheathed Cables |
| B-12-908 | Wire Pulling Compounds |
| B-12-1118 | Compensation for Linear Expansion and Frost Action For Rigid PVC Conduit (Non-Metallic Raceway) |
| B-14-012 | Interrupting Capacity for Anticipated Fault Currents for 3P, 4W, Multi-Grounded Low Voltage Systems |
| B-14-200 | Use of "D" and "P" Type Fuses |
| B-22-100 | Sewage Lift Pumps (Residential Single Family Dwelling) |
| B-26-710 | Finished (Un-Finished) Walls or Areas |
| B-26-714 | Installation of Outside Receptacles for Single Dwellings and Dwelling Units |

ELECTRICAL INSPECTION BULLETIN

B-Index

(Effective 07/07/2022)



| | |
|-----------|--|
| B-26-724 | Requirements for Arc-Fault Circuit Interrupters (AFCI's) |
| B-26-806 | Furnace Switch Locations |
| B-28-900 | Standby Generator Installations |
| B-30-1000 | Installation and Inspection Requirements for Street and Roadway Lighting Systems |
| B-32-000 | Installation and Verification of Fire Alarm Systems |
| B-36-000 | Customer Owned High Voltage Installations |
| B-64-200 | Solar Photovoltaic Installations |
| B-72-000 | Consumer Services for Recreational Vehicle Sites and Similar Locations |
| B-76-000 | Temporary Electrical Installation |